

4 FOOT HERITAGE BENCH



Seat/Arm Supports



Cross Support Rods



Hardware



Seat/Back Support brackets

PARTS LIST: (Quantity for one 4' bench)

QTY	ITEM
9	2" x 4"x 4' Bench Slats
1 set	Seat/Arm Supports
2	Cross Support Rods
1 bag	Hardware
1	Seat/Back Support brackets

TOOLS NEEDED FOR INSTALLATION:

- Socket Set with 7/16" Socket
- Phillips Screwdriver
- Electric Drill with a 3/32 Drill Bit

INSTALLATION INSTRUCTIONS:

1. Loosely install round support between bases with four matching screws and washers.



2. Begin sliding 2 x 4's into place. Front board on seat is routed on front edge. Top board on backrest is routed on its top edge.





3. Space boards appropriately, taking careful note of special slots created to hold each board.



4. Tighten support bar screws to hold boards in place.



5. Attach small screws into back of slats. Also, attach small screws on bottom side of bench.



6. Attach larger screws into holes in top of bases.

5 FOOT HERITAGE BENCH



Seat/Arm Supports



Cross Support Rods



Hardware



Seat/Back Support brackets

PARTS LIST: (Quantity for one 5' bench)

QTY	ITEM
9	2" x 4" x 5' Bench Slats
1 set	Seat/Arm Supports
2	Cross Support Rods
1 bag	Hardware
3	Seat/Back Support brackets

TOOLS NEEDED FOR INSTALLATION:

Ratchet Wrench with a 17mm Socket
Phillips Screwdriver
Electric Drill with a 3/32 Drill Bit

INSTALLATION INSTRUCTIONS:

1. Loosely install round support between bases with four matching screws and washers.



2. Begin sliding 2 x 4's into place. Front board on seat is routed on front edge. Top board on backrest is routed on its top edge.





3. Space boards appropriately, taking careful note of special slots created to hold each board.



4. Tighten support bar screws to hold boards in place.



5. Attach small screws into back of slats. Also, attach small screws on bottom side of bench.



6. Attach larger screws into holes in top of bases.

6 FOOT HERITAGE BENCH



Seat/Arm Supports



Cross Support Rods



Hardware



Seat/Back Support brackets

PARTS LIST: (Quantity for one 6' bench)

QTY	ITEM
9	2" x 4"x 6' Bench Slats
1 set	Seat/Arm Supports
2	Cross Support Rods
1 bag	Hardware
2	Seat/Back Support brackets

TOOLS NEEDED FOR INSTALLATION:

Ratchet Wrench with a 17mm Socket
Phillips Screwdriver
Electric Drill with a 3/32 Drill Bit

INSTALLATION INSTRUCTIONS:

1. Loosely install round support between bases with four matching screws and washers.



2. Begin sliding 2 x 4's into place. Front board on seat is routed on front edge. Top board on backrest is routed on its top edge.





3. Space boards appropriately, taking careful note of special slots created to hold each board.



4. Tighten support bar screws to hold boards in place.



5. Attach small screws into back of slats. Also, attach small screws on bottom side of bench.



6. Attach larger screws into holes in top of bases.